





Be ahead



MITTO




Remote controls for automatic gates



Complete range of remote controls, 433MHz rolling code. Available with 2 or 4 channels.

Relevant features


Ergonomic and compact.



Remote controls for automatic gates

MITTO

Code	Ci	Name		Description
D111947	2607370	MITTO B RCB04 R1 CLEAR ICE		Transmitter with 4 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Colour clear ice white. Buttons panel can be customised with own design/logo. Ergonomic and compact.
D112201	2600952	MITTO B RCB04 CLEAR ICE CUSTOMIZED		Transmitter with 4 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Colour clear ice white. Buttons panel can be customised with own design/logo. Minimum quantity 100 items. Ergonomic and compact.
D111946	2607366	MITTO B RCB04 R1 SUNRISE		Transmitter 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A. Colour: sunrise yellow Ergonomic and compact.
D112200	2607406	MITTO B RCB04 SUNRISE CUSTOMIZED		Transmitter with 4 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Colour sunrise yellow. Buttons panel can be customised with own design/logo. Minimum quantity 100 items. Ergonomic and compact.
D111945	2607364	MITTO B RCB04 R1 VINEYARD		Transmitter 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A. Colour: vineyard red Ergonomic and compact.
D112202	2613246	MITTO B RCB04 VINEYARD CUSTOMIZED		Transmitter with 4 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Colour vineyard red. Buttons panel can be customised with own design/logo. Minimum quantity 100 items. Ergonomic and compact.
N999543	2611124	MITTO B RCB04 R3 4CH 100PZ		Transmitter 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A. Pack of 100pcs numbered for block memorisation. Ergonomic and compact.
N998612	2611058	MITTO B RCB04 4CH 100PZ CUSTOMISED		Transmitter 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A. Pack of 100pcs numbered for block memorisation. Ergonomic and compact.
D111907	2607347	MITTO B RCB04 R2 REPLAY		Copyable transmitter 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A.
D112199	2613245	MITTO B RCB04 4CH REPLAY CUSTOMIZED		Pairable transmitter with 4 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Buttons panel can be customised with own design/logo. Minimum quantity 100 items.
D111906	2600535	MITTO B RCB04 R1		Transmitter with 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A Ergonomic and compact.
D112197	2607404	MITTO B RCB04 4CH CUSTOMIZED		Transmitter with 4 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Buttons panel can be customised with own design/logo. Minimum quantity 100 items. Ergonomic and compact.
N999542	2611121	MITTO B RCB02 R3 2CH 100PZ		Transmitter 2 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A. Pack of 100pcs numbered for block memorisation. Ergonomic and compact.
N998611	2611057	MITTO B RCB02 2CH 100PZ CUSTOMISED		Transmitter 2 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A. Pack of 100pcs numbered for block memorisation. Ergonomic and compact.
D111905	2600573	MITTO B RCB02 R2 REPLAY		Copyable transmitter 2 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A.
D112198	2607405	MITTO B RCB02 2CH REPLAY CUSTOMIZED		Pairable transmitter with 2 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Buttons panel can be customised with own design/logo. Minimum quantity 100 items.
D111904	2600534	MITTO B RCB02 R1		Transmitter with 2 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A
D112196	2607403	MITTO B RCB02 2CH CUSTOMIZED		Transmitter with 2 channels. Range 50/100 m. 12 V power supply with 1 23 A battery. Buttons panel can be customised with own design/logo. Minimum quantity 100 items.
N999629	2611137	MITTO B RCB04 R6 RAINBOW		Pack of four MITTO 4 transmitters in the four BFT colours: vineyard red sunrise yellow clear ice white deep sea blue



Remote controls for automatic gates

	MITTO B RCB04 R1 CLEAR ICE	MITTO B RCB04 CLEAR ICE CUSTOMIZED	MITTO B RCB04 R1 SUNRISE	MITTO B RCB04 SUNRISE CUSTOMIZED	MITTO B RCB04 R1 VINEYARD	MITTO B RCB04 VINEYARD CUSTOMIZED	MITTO B RCB04 R3 4CH 100PZ
Voltage	12 V	12 V	12 V	12 V	12 V	12 V	12 V
Range	50/100 m	50/100 m	50/100 m	50/100 m	50/100 m	50/100 m	50/100 m
Number of buttons	4	4	4	4	4	4	4
Frequency	433 MHz	433 MHz	433 MHz	433 MHz	433 MHz	433 MHz	433 MHz
Number of batteries	1	1	1	1	1	1	1
Battery type	23 A	23 A	23 A	23 A	23 A	23 A	23 A
Coloration	clear ice white	clear ice white	sunrise yellow	sunrise yellow	vineyard red	vineyard red	-

	MITTO B RCB04 4CH 100PZ CUSTOMISED	MITTO B RCB04 R2 REPLAY	MITTO B RCB04 4CH REPLAY CUSTOMIZED	MITTO B RCB04 R1	MITTO B RCB04 4CH CUSTOMIZED	MITTO B RCB02 R3 2CH 100PZ	MITTO B RCB02 2CH 100PZ CUSTOMISED
Voltage	12 V	12 V	12 V	12 V	12 V	12 V	12 V
Range	50/100 m	50/100 m	50/100 m	50/100 m	50/100 m	50/100 m	50/100 m
Number of buttons	4	4	4	4	4	2	2
Frequency	433 MHz	433 MHz	433 MHz	433 MHz	433 MHz	433 MHz	433 MHz
Number of batteries	1	1	1	1	1	1	1
Battery type	23 A	23 A	23 A	23 A	23 A	23 A	23 A
Coloration	-	-	-	-	-	-	-

	MITTO B RCB02 R2 REPLAY	MITTO B RCB02 2CH REPLAY CUSTOMIZED	MITTO B RCB02 R1	MITTO B RCB02 2CH CUSTOMIZED	MITTO B RCB04 R6 RAINBOW
Voltage	12 V	12 V	12 V	12 V	12 V
Range	50/100 m	50/100 m	50/100 m	50/100 m	50/100 m
Number of buttons	2	2	2	2	4
Frequency	433 MHz	433 MHz	433 MHz	433 MHz	433 MHz
Number of batteries	1	1	1	1	1
Battery type	23 A	23 A	23 A	23 A	23 A
Coloration	-	-	-	-	-

RECOMMENDED ACCESSORIES

<p>Cp D113807 00002 - Ci 2600587 CLONIX 2E AC U-LINK 230</p> <p>433 MHz external receiver, compatible with U-LINK protocol (features 3 connection ports). 230 V Power supply, can store up to 2,048 remote controls</p>	<p>Cp D113808 00003 - Ci 2607512 CLONIX UNI AC U-LINK 230V</p> <p>433 MHz external receiver via 3 outputs: 2 with NO contact and one with configurable NO/NC contact. Compatible with U-LINK protocol (features 3 connection ports). Power supply, 230 V, can store up to 2,048 remote controls</p>
<p>Cp D113674 00001 - Ci 2600578 CLONIX 2E</p> <p>External two-channel 433 MHz rolling code receiver. 128 position memory. 24 V power supply.</p>	<p>Cp D113718 00002 - Ci 2600581 CLONIX 4 RTE</p> <p>External 4-channel 433 MHz rolling code receiver. 230 V power supply.</p>
<p>Cp P111510 - Ci 2600991 U-BASE</p> <p>Software for bluetooth programming and managing of control unit, receiver and transmitters. USB key included</p>	<p>Ph. Out Cp P111529 - Ci 2600993 U-PROG</p> <p>Programmer for radio control units and receivers with possibility of wired or BlueTooth connection</p>
<p>Ph. Out Cp N999522 - Ci 2600797 CLIP B 00 R04</p> <p>Wall mounting clip for KLEIO B RCA and MITTO B RCB remote controls. 30 unit pack</p>	<p>Ph. Out Cp N999521 - Ci 2611120 CLIP1 B 00 R03</p> <p>Clip for hooking KLEIO B RCA and MITTO B RCB series remote controls to belt or sun visor. Supplied in pack of 30pcs</p>

Remote controls for automatic gates

EasyAXS

EASY CONNECT. EASY ACCESS.



The new connectivity solution which boosts the potential of BFT products and services to make access automations smarter and easier to use for both installers and end users.

1



EASY TO CONNECT



PLUG&PLAY
CONNECTIVITY MODULE
FOR QUICKLY CONNECTING
BFT SOLUTIONS



2

EASY TO SET UP



CONFIGURATION
AND
MANAGEMENT OF
THE MOTOR WITH
THE **EasyAXS app**

3

EASY TO CONTROL



TaHoma app
TO PROVIDE CUSTOMERS
WITH A SMART SOLUTION
FOR ACCESSING THEIR
HOMES



Remote controls for automatic gates

EASY TO CONNECT

WIFI MODULE



→ 10/15 metres

WIFI MODULE + ANTENNA



→ 20/25 metres

MOBILE MODULE + ANTENNA + SIM



→ ∞



**PLUG&PLAY
INSTALLATION**



**ALWAYS
CONNECTED**



**EVEN MORE
CONNECTIVITY**



**EASY TO SET UP
FOR INSTALLERS**



**EASY TO CONTROL
FOR CUSTOMERS**



Remote controls for automatic gates



U-LINK 2.0

AN UPDATED VERSION OF
U-LINK TO GIVE YOU EVEN
MORE FUNCTIONALITY



Scalable

You can add as many devices as you want



Intuitive

Easy to install and to use



Functional

Settings can be controlled and firmware updated remotely using dedicated applications



Practical

Works with or without an internet connection



Flexible

It allows you to create groups of interconnected products

U-Link, the exclusive **BFT** technology platform has evolved to offer improved interaction with the latest generation of technological ecosystems. Its ability to interface with all home access automation access devices has been expanded, meaning it is now a very useful tool for installers. It is also a faster communication protocol with increased security for communicating information.

It allows you to save even more time, checking everything very easily and giving you even more peace of mind.

Remote controls for automatic gates

U-SECURITY

A NEW AND EVEN MORE SECURE RADIO PROTOCOL



Secure

By transmitting data protected by a cryptographic key

U-Security is the new technology from **BFT** which incorporates encrypted rolling code thanks to the encryption key which masks the remote control code, meaning that it is impossible to clone a BFT remote control using another brand's model.

The functions of the **Er Ready** system are incorporated and a new procedure is also available for programming remote controls by scanning a QR CODE and using a special app. All products featuring this technology are **REPLAY**, so they can transmit the code to another BFT remote control using a combination of keys.



Easy

Pairing a remote control with a receiver can be done easily by scanning the QR code and using the dedicated app



Universal

The radio protocol is also compatible with the previous generation of receivers



INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. BFT S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A. is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. **FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT, BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.**