




Be ahead



U-BASE





U-BASE



Home remote control systems



Designed according to the installer's specific needs for easy management and maintenance of the systems, the innovative U-Base software features an immediate and intuitive user interface and can operate on-line, updating data directly on connected systems or off-line operating on the information present in the local database of the computer on which it is installed.

For operation, the system requires the installation of a B EBA gateway expansion card connected to the control unit and allows interfacing even wirelessly or remotely with Bft control units (U-Link compatible).

The main functions include the possibility of displaying and editing control unit parameters and logics, as well as viewing the list of recorded alarms. Through an immediate graphic interface, also all the functions and parameters of the motors are monitored, displaying the threshold current, absorbed current and the position of the operator in real-time.


Relevant features



The software provides user friendly management of even very complex networks



All functions and parameters are now easy to review and edit on the PC. The GUI also allows the user to review speed and absorption curves in real time.





U-BASE



Home remote control systems




U-BASE

Code	Ci	Name	Description	
P111510	2600991	U-BASE 2 PC	Management and programming software for Bft control units and receivers. Version for PC, Bluetooth connection	

RECOMMENDED ACCESSORIES

	Ph. Out Cp P111469 - Ci 2611272 B EBA BLUE GATEWAY		Cp P111530 - Ci 2611273 B EBA RS 485 GATEWAY
Expansion board for BLUETOOTH connection management		GATEWAY expansion card for management of RS 485 connection	
	Cp P111468 - Ci 2600811 B EBA RS 485 LINK		Cp D113805 00002 - Ci 2607511 B EBA TCP/IP GATEWAY
Expansion board for connection of central units with serial controls management		Gateway expansion card to connect automation systems in TCP/IP networks via U-Link slot. It manages up to 120 U-Link devices connected via B EBA RS-485 Link.	
	Ph. Out Cp P111529 - Ci 2600993 U-PROG		Cp D113807 00002 - Ci 2600587 CLONIX 2E AC U-LINK 230
Programmer for radio control units and receivers with possibility of wired or BlueTooth connection		433 MHz external receiver, compatible with U-LINK protocol (features 3 connection ports). 230 V Power supply, can store up to 2,048 remote controls	
	Cp D113808 00003 - Ci 2607512 CLONIX UNI AC U-LINK 230V		
433 MHz external receiver via 3 outputs: 2 with NO contact and one with configurable NO/NC contact. Compatible with U-LINK protocol (features 3 connection ports). Power supply, 230 V, can store up to 2,048 remote controls			





Home remote control systems



EasyAXS

EASY CONNECT. EASY ACCESS.



The new connectivity solution which boosts the potential of BFT products and services to make access automations smarter and easier to use for both installers and end users.





Home remote control systems



EASY TO CONNECT

WIFI MODULE



→ 10/15 metres

WIFI MODULE + ANTENNA



→ 20/25 metres

MOBILE MODULE + ANTENNA + SIM



→ ∞



PLUG&PLAY
INSTALLATION



ALWAYS
CONNECTED



EVEN MORE
CONNECTIVITY



EASY TO SET UP
FOR INSTALLERS



EASY TO CONTROL
FOR CUSTOMERS





Home remote control systems



Empowered by
U-LINK



U-LINK 2.0

AN UPDATED VERSION OF
U-LINK TO GIVE YOU EVEN
MORE FUNCTIONALITY



Scalable

You can add as many devices as you want



Intuitive

Easy to install and to use



Functional

Settings can be controlled and firmware updated remotely using dedicated applications



Practical

Works with or without an internet connection



Flexible

It allows you to create groups of interconnected products

U-Link, the exclusive **BFT** technology platform has evolved to offer improved interaction with the latest generation of technological ecosystems. Its ability to interface with all home access automation access devices has been expanded, meaning it is now a very useful tool for installers. It is also a faster communication protocol with increased security for communicating information.

It allows you to save even more time, checking everything very easily and giving you even more peace of mind.



Home remote control systems



Empowered by
U-LINK

U-SECURITY

A NEW AND EVEN MORE SECURE RADIO PROTOCOL



→ **Secure**

By transmitting data protected by a cryptographic key

U-Security is the new technology from **BFT** which incorporates encrypted rolling code thanks to the encryption key which masks the remote control code, meaning that it is impossible to clone a BFT remote control using another brand's model.

The functions of the **Er Ready** system are incorporated and a new procedure is also available for programming remote controls by scanning a QR CODE and using a special app. All products featuring this technology are **REPLAY**, so they can transmit the code to another BFT remote control using a combination of keys.



→ **Easy**

Pairing a remote control with a receiver can be done easily by scanning the QR code and using the dedicated app



→ **Universal**

The radio protocol is also compatible with the previous generation of receivers



INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. BFT S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A. is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. **FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT, BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.**