



Be ahead



PARKING SERVER





PARKING SERVER



ESPAS 30 ULTRA



PARKING SERVER

Koodi	Ci	Nimi	Kuvaus
FP206001	2606015	PARKING SERVER	The Server together with its SW manage the database of the Parking System and it includes back-up for all data.
FP206003	2606017	PARKING SERVER EXT TEMP	Server version for extended temperature range(-20°C to +80°C). The Server together with its SW manage the database of the Parking System and it includes back-up for all data.
P800147	2613222	PARKING SERVER PRO	High performance server for car park management, ideal for systems with high data volumes, together with software concentrators and databases, for wired car parks.



SUOSITELTAVAT LISÄVARUSTEET

	Cp P800171 - Ci 2613478 EXTENDED TEMPERATURE 8P SWITCH Ethernet Switch with extended temperature range (-40°C to +70°C), 8 Ethernet Port.		Cp D112099 - Ci 2605688 ETHERNET SWITCH 8P Ethernet Switch, 8 Ethernet Ports.
	Cp D114024 - Ci 2605666 ROUTER 4G LTE DUAL SIM EXT.TEMP. Dual SIM (Micro SIM)router with extendet temperature (-40°C to +70°C) , 4G LTE, 2xEthernet port 10/100Mbps, 1 slot MicroSD, 4G/WIFI antennas, DIN support and power supply		Cp P800145 - Ci 2605945 MONITOR FULL HD 21.5" WITH HDMI CABLE 21.5 "Full HD -näyttö HDMI-kaapelilla



ESPAS 30 ULTRA

SUOSITELTAVAT LISÄVARUSTEET

	<p>Cp P800157 - Ci 2613225 MOUSE AND KEYBOARD KIT</p> <p>Kit includes USB mouse and keyboard, colour black.</p>	<p>Cp P800161 - Ci 2613228 ROAD ENCLOSURE WITH INSPECTION PLINTH</p> <p>Road enclosure with inspection plinth. Lock with retractable handle and closing at three points. Resistance to weather, ageing and corrosion. Floor mounting frames to order separately. Dimensions: 546 x 1110 x 308 (W x H x D) Max load applicable on bottom wall: 65 kg</p>
	<p>Cp P800162 - Ci 2613229 FLOOR MOUNTING FRAMES FOR ROAD ENCLOSURE</p> <p>Floor mounting frames for road enclosure in steel with double protection treatment: galvanic treatment covered with a layer of epoxy paint. Screws in AISI 304 stainless steel.</p>	



INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. BFT S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A. is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT, BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.