





Be ahead



MIME



Remote control receiver



Miniaturized 2-channel indoor receiver for wireless control of lights or operators

Remote control receiver

MIME

Code	Ci	Name	Description
R400008	2611782	MIME AC PAD KIT	433MHz 2-channel indoor receiver 2 independent outputs 230 Vac power supply 30-position memory Operating mode: monostable, bistable, timed, motor control Complete with 1 MITTO 4 Clear Ice remote control
R400005	2611779	MIME AC KIT	433MHz 2-channel indoor receiver 2 independent outputs 230 Vac power supply 30-position memory Operating mode: monostable, bistable, timed, motor control Complete with 1 MITTO B RCB CLEAR ICE remote control
D113824	2600588	MIME AC	433 MHz 2-channel indoor receiver 2 independent outputs 230 Vac power supply 30-position memory Operating mode: monostable, bistable, timed, motor control
D113831	2601024	MIME TX	Two-channel miniaturized 433 Mhz transmitter

	MIME AC PAD KIT	MIME AC KIT	MIME AC	MIME TX
Power supply	230 V	230 V	230 V	
Built-in antenna	Yes	Yes	Yes	
Type			2	
Max connectable peripherals			30	
Maximum current			2 x 5 A	
Frequency			433 MHz	
Environmental conditions	-20 ÷ 55 °C	-20 ÷ 55 °C	-20 ÷ 40 °C	

RECOMMENDED ACCESSORIES

<p>Cp P121028 - Ci 2600242 MIME PAD</p> <p>4-channel wall-mounted radio control with rolling code</p>	<p>Ph Out Cp N999522 - Ci 2600797 CLIP B 00 R04</p> <p>Wall mounting clip for KLEIO B RCA and MITTO B RCB remote controls. 30 unit pack</p>
<p>Cp P121024 - Ci 2600834 Q.BO TOUCH</p> <p>Wireless digital touch button panel 433 MHz rolling code. Combines with control units fitted with built-in Bft receivers or external Bft receivers.</p>	

Remote control receiver

EasyAXS

EASY CONNECT. EASY ACCESS.



The new connectivity solution which boosts the potential of BFT products and services to make access automations smarter and easier to use for both installers and end users.

1

EASY TO CONNECT



PLUG&PLAY
CONNECTIVITY MODULE
FOR QUICKLY CONNECTING
BFT SOLUTIONS



2

EASY TO SET UP



CONFIGURATION
AND
MANAGEMENT OF
THE MOTOR WITH
THE **EasyAXS app**

3

EASY TO CONTROL



TaHoma app
TO PROVIDE CUSTOMERS
WITH A SMART SOLUTION
FOR ACCESSING THEIR
HOMES



Remote control receiver

EASY TO CONNECT

WIFI MODULE



→ 10/15 metres

WIFI MODULE + ANTENNA



→ 20/25 metres

MOBILE MODULE + ANTENNA + SIM



→ ∞



**PLUG&PLAY
INSTALLATION**



**ALWAYS
CONNECTED**



**EVEN MORE
CONNECTIVITY**



**EASY TO SET UP
FOR INSTALLERS**



**EASY TO CONTROL
FOR CUSTOMERS**



Remote control receiver



U-LINK 2.0

AN UPDATED VERSION OF
U-LINK TO GIVE YOU EVEN
MORE FUNCTIONALITY



Scalable

You can add as many devices as you want



Intuitive

Easy to install and to use



Functional

Settings can be controlled and firmware updated remotely using dedicated applications



Practical

Works with or without an internet connection



Flexible

It allows you to create groups of interconnected products

U-Link, the exclusive **BFT** technology platform has evolved to offer improved interaction with the latest generation of technological ecosystems. Its ability to interface with all home access automation access devices has been expanded, meaning it is now a very useful tool for installers. It is also a faster communication protocol with increased security for communicating information.

It allows you to save even more time, checking everything very easily and giving you even more peace of mind.

Remote control receiver



A NEW AND EVEN MORE SECURE RADIO PROTOCOL



Secure

By transmitting data protected by a cryptographic key

U-Security is the new technology from **BFT** which incorporates encrypted rolling code thanks to the encryption key which masks the remote control code, meaning that it is impossible to clone a BFT remote control using another brand's model.



Easy

Pairing a remote control with a receiver can be done easily by scanning the QR code and using the dedicated app

The functions of the **Er Ready** system are incorporated and a new procedure is also available for programming remote controls by scanning a QR CODE and using a special app. All products featuring this technology are **REPLAY**, so they can transmit the code to another BFT remote control using a combination of keys.



Universal

The radio protocol is also compatible with the previous generation of receivers

