





Be ahead




# MIME



## Remote control receiver



Miniaturized 2-channel indoor receiver for wireless control of lights or operators




## Remote control receiver

## MIME

Code	Ci	Name	Description
D113824	2600588	MIME AC	433 MHz 2-channel indoor receiver 2 independent outputs 230 Vac power supply 30-position memory Operating mode: monostable, bistable, timed, motor control
D113831	2601024	MIME TX	Two-channel miniaturized 433 Mhz transmitter

	MIME AC	MIME TX
Power supply	230 V	
Built-in antenna	Yes	
Type	2	
Max connectable peripherals	30	
Maximum current	2 x 5 A	
Frequency	433 MHz	
Environmental conditions	-20 ÷ 40 °C	

## RECOMMENDED ACCESSORIES

 <p><b>Cp</b> P121028 - <b>Ci</b> 2600242 <b>MIME PAD</b></p> <p>4-channel wall-mounted radio control with rolling code</p>	 <p><b>Ph. Out</b> <b>Cp</b> N999522 - <b>Ci</b> 2600797 <b>CLIP B 00 R04</b></p> <p>Wall mounting clip for KLEIO B RCA and MITTO B RCB remote controls. 30 unit pack</p>
 <p><b>Cp</b> P121024 - <b>Ci</b> 2600834 <b>Q.BO TOUCH</b></p> <p>Wireless digital touch button panel 433 MHz rolling code. Combines with control units fitted with built-in Bft receivers or external Bft receivers.</p>	

Remote control receiver

# EasyAXS

EASY CONNECT. EASY ACCESS.



The new connectivity solution which boosts the potential of BFT products and services to make access automations smarter and easier to use for both installers and end users.

1

## EASY TO CONNECT



**PLUG&PLAY**  
CONNECTIVITY MODULE  
FOR QUICKLY CONNECTING  
BFT SOLUTIONS



2

## EASY TO SET UP



CONFIGURATION  
AND  
MANAGEMENT OF  
THE MOTOR WITH  
THE **EasyAXS app**

3

## EASY TO CONTROL



**TaHoma app**  
TO PROVIDE CUSTOMERS  
WITH A SMART SOLUTION  
FOR ACCESSING THEIR  
HOMES



## Remote control receiver

### EASY TO CONNECT

#### WIFI MODULE



→ 10/15 metres

#### WIFI MODULE + ANTENNA



→ 20/25 metres

#### MOBILE MODULE + ANTENNA + SIM



→ ∞



**PLUG&PLAY  
INSTALLATION**



**ALWAYS  
CONNECTED**



**EVEN MORE  
CONNECTIVITY**



**EASY TO SET UP  
FOR INSTALLERS**



**EASY TO CONTROL  
FOR CUSTOMERS**





Remote control receiver



# U-LINK 2.0

AN UPDATED VERSION OF  
**U-LINK** TO GIVE YOU EVEN  
MORE FUNCTIONALITY



## Scalable

You can add as many devices as you want



## Intuitive

Easy to install and to use



## Functional

Settings can be controlled and firmware updated remotely using dedicated applications



## Practical

Works with or without an internet connection



## Flexible

It allows you to create groups of interconnected products

**U-Link**, the exclusive **BFT** technology platform has evolved to offer improved interaction with the latest generation of technological ecosystems. Its ability to interface with all home access automation access devices has been expanded, meaning it is now a very useful tool for installers. It is also a faster communication protocol with increased security for communicating information.

It allows you to save even more time, checking everything very easily and giving you even more peace of mind.

## Remote control receiver



# A NEW AND EVEN MORE SECURE RADIO PROTOCOL



## Secure

By transmitting data protected by a cryptographic key

**U-Security** is the new technology from **BFT** which incorporates encrypted rolling code thanks to the encryption key which masks the remote control code, meaning that it is impossible to clone a BFT remote control using another brand's model.



## Easy

Pairing a remote control with a receiver can be done easily by scanning the QR code and using the dedicated app

The functions of the **Er Ready** system are incorporated and a new procedure is also available for programming remote controls by scanning a QR CODE and using a special app. All products featuring this technology are **REPLAY**, so they can transmit the code to another BFT remote control using a combination of keys.



## Universal

The radio protocol is also compatible with the previous generation of receivers

