







Be ahead

# RANCH D





## Anti-Terrorism bollards



Fixed tall security bollard suitable for protection of sensitive sites. Reference standard PAS68:2010 7500/50/N2, ASTM2656:2007 M30. High-strength structure based on the design of the automatic version XPA55 B 275/800.



## Anti-Terrorism bollards

## RANCH D

Code	Ci	Name	Description
P970104 00002	2605607	RANCH D 275/800CN L	Fixed anti-terrorism bollard, shaft height 800 mm and diameter 273 mm. Painted shaft version, RAL 7015. Flange not included. Cap with lights. High ramming resistance. Simulation as per standard IWA14-1:2013.
P970096 00002	2613167	RANCH D 275/800C LI	Fixed anti-terrorism bollard, shaft height 800 mm and diameter 273 mm. Version with stainless steel covered shaft. Flange not included. Cap with lights. High ramming resistance.

	RANCH D 275/800CN L	RANCH D 275/800C LI
Rod height	800 mm	800 mm
Rod diameter	273 mm	273 mm
Rod thickness	10 mm	10 mm
Impact resistance	250000 J	250000 J
Break-in proof	800000 J	800000 J
Antiterrorism: reference standard	PAS 68:2010 7500/50/N2	PAS 68:2010 7500/50/N2
Rod treatment	RAL 7015 cataphoresis coating and paint	AISI 304 stainless steel

## RECOMMENDED ACCESSORIES

	<b>Cp</b> P800104 - <b>Ci</b> 2607208 <b>ALLU</b>		<b>Cp</b> P800110 - <b>Ci</b> 2605288 <b>FLANGE RANCH D</b>
	Power supply for fixed bollards.		Flange for Ranch D
	<b>new</b> <b>Cp</b> P970303 10300 - <b>Ci</b> 2613175 <b>RANCH D STAINLESS STEEL COATING</b>		
	AISI 316 stainless steel cover for RANCH D fixed bollard.		



Anti-Terrorism bollards

# EasyAXS

EASY CONNECT. EASY ACCESS.



The new connectivity solution which boosts the potential of BFT products and services to make access automations smarter and easier to use for both installers and end users.





## Anti-Terrorism bollards

### EASY TO CONNECT

#### WIFI MODULE



→ 10/15 metres

#### WIFI MODULE + ANTENNA



→ 20/25 metres

#### MOBILE MODULE + ANTENNA + SIM



→ ∞



**PLUG&PLAY  
INSTALLATION**



**ALWAYS  
CONNECTED**



**EVEN MORE  
CONNECTIVITY**



**EASY TO SET UP  
FOR INSTALLERS**



**EASY TO CONTROL  
FOR CUSTOMERS**







## Anti-Terrorism bollards



# U-LINK 2.0

## AN UPDATED VERSION OF **U-LINK** TO GIVE YOU EVEN MORE FUNCTIONALITY



### Scalable

You can add as many devices as you want



### Intuitive

Easy to install and to use



### Functional

Settings can be controlled and firmware updated remotely using dedicated applications



### Practical

Works with or without an internet connection



### Flexible

It allows you to create groups of interconnected products

**U-Link**, the exclusive **BFT** technology platform has evolved to offer improved interaction with the latest generation of technological ecosystems. Its ability to interface with all home access automation access devices has been expanded, meaning it is now a very useful tool for installers. It is also a faster communication protocol with increased security for communicating information.

It allows you to save even more time, checking everything very easily and giving you even more peace of mind.



## Anti-Terrorism bollards



## A NEW AND EVEN MORE SECURE RADIO PROTOCOL



### Secure

By transmitting data protected by a cryptographic key

**U-Security** is the new technology from **BFT** which incorporates encrypted rolling code thanks to the encryption key which masks the remote control code, meaning that it is impossible to clone a BFT remote control using another brand's model.



### Easy

Pairing a remote control with a receiver can be done easily by scanning the QR code and using the dedicated app

The functions of the **Er Ready** system are incorporated and a new procedure is also available for programming remote controls by scanning a QR CODE and using a special app. All products featuring this technology are **REPLAY**, so they can transmit the code to another BFT remote control using a combination of keys.



### Universal

The radio protocol is also compatible with the previous generation of receivers



INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. BFT S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A. is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT, BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.