Be ahead

URBAN

PARKING SERVER

ESPAS 30 ULTRA

The Server together with its SW manage the database of the Parking System and it includes back-up for all data.

PARKING SERVER

Code	Name		Description
FP206001	PARKING SERVER		The Server together with its SW manage the database of the Parking System and it includes back-up for all data.
FP206003	PARKING SERVER EXT TEMP		Server version for extended temperature range(-20°C to +80°C), The Server together with its SW manage the database of the Parking System and it includes back-up for all data.
P800147	PARKING SERVER PRO	new	High performance server for car park management, ideal for systems with high data volumes, together with software concentrators and databases, for wired car parks.

RECOMMENDED ACCESSORIES

Cp D112115 - **Ci** 2605694
EXTENDED TEMPERATURE 8P SWITCH

Ethernet Switch with extended temperature range (-40°C to +70°C), 8 Ethernet Port.

new **Cp** D112099 - **Ci** 2605688
ETHERNET SWITCH 8P

Ethernet Switch, 8 Ethernet Ports.

Cp D114024 - **Ci** 2605666
ROUTER 4G LTE DUAL SIM EXT.TEMP.

Dual SIM (Micro SIM)router with extendet temperature (-40°C to +70°C) , 4G LTE, 2xEthernet port 10/100Mbps, 1 slot MicroSD, 4G/WIFI anntennas, DIN support and power supply

new **Cp** P800145 - **Ci** 2605945
MONITOR FULL HD 21.5" WITH HDMI CABLE

21.5" Full HD Monitor with HDMI cable.

ESPAS 30 ULTRA

RECOMMENDED ACCESSORIES

new **Cp** P800157 - **Ci** 2613225
MOUSE AND KEYBOARD KIT

Kit includes USB mouse and keyboard, colour black.

new **Cp** P800161 - **Ci** 2613228
ROAD ENCLOSURE WITH INSPECTION PLINTH

Road enclosure with inspection plinth. Lock with retractable handle and closing at three points. Resistance to weather, ageing and corrosion. Floor mounting frames to order separately.
Dimensions: 546 x 1110 x 308 (W x H x D)
Max load applicable on bottom wall: 65 kg

new **Cp** P800162 - **Ci** 2613229
FLOOR MOUNTING FRAMES FOR ROAD ENCLOSURE

Floor mounting frames for road enclosure in steel with double protection treatment: galvanic treatment covered with a layer of epoxy paint. Screws in AISI 304 stainless steel.

INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. BFT S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT, BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.