






Be ahead




KLEIO



Remote controls for automatic gates



Complete range of remote controls, 433MHz rolling code. Available with 2 or 4 channels. Softtouch finishes.



Remote controls for automatic gates

KLEIO

Code	Ci	Name	Description
D111890	2600572	KLEIO B RCA04 R1	Transmitter with 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A

	KLEIO B RCA04 R1
Voltage	12 V
Range	50/100 m
Number of buttons	4
Frequency	433 MHz
Number of batteries	1
Battery type	23 A

RECOMMENDED ACCESSORIES

Cp D113807 00002 - Ci 2600587 CLONIX 2E AC U-LINK 230 433 MHz external receiver, compatible with U-LINK protocol (features 3 connection ports). 230 V Power supply, can store up to 2,048 remote controls	Cp D113808 00003 - Ci 2607512 CLONIX UNI AC U-LINK 230V 433 MHz external receiver via 3 outputs: 2 with NO contact and one with configurable NO/NC contact. Compatible with U-LINK protocol (features 3 connection ports). Power supply, 230 V, can store up to 2,048 remote controls
Cp D113674 00001 - Ci 2600578 CLONIX 2E External two-channel 433 MHz rolling code receiver. 128 position memory. 24 V power supply.	Cp D113718 00002 - Ci 2600581 CLONIX 4 RTE External 4-channel 433 MHz rolling code receiver. 230 V power supply.
Cp P111510 - Ci 2600991 U-BASE Software for bluetooth programming and managing of control unit, receiver and transmitters. USB key included	Cp P111529 - Ci 2600993 U-PROG Programmer for radio control units and receivers with possibility of wired or BlueTooth connection
Ph. Out N999522 - Ci 2600797 CLIP B 00 R04 Wall mounting clip for KLEIO B RCA and MITTO B RCB remote controls. 30 unit pack	

Remote controls for automatic gates

EasyAXS

EASY CONNECT. EASY ACCESS.



The new connectivity solution which boosts the potential of BFT products and services to make access automations smarter and easier to use for both installers and end users.

1

EASY TO CONNECT



PLUG&PLAY
CONNECTIVITY MODULE
FOR QUICKLY CONNECTING
BFT SOLUTIONS



2

EASY TO SET UP



CONFIGURATION
AND
MANAGEMENT OF
THE MOTOR WITH
THE **EasyAXS app**

3

EASY TO CONTROL



TaHoma app
TO PROVIDE CUSTOMERS
WITH A SMART SOLUTION
FOR ACCESSING THEIR
HOMES



Remote controls for automatic gates

EASY TO CONNECT

WIFI MODULE



→ 10/15 metres

WIFI MODULE + ANTENNA



→ 20/25 metres

MOBILE MODULE + ANTENNA + SIM



→ ∞



**PLUG&PLAY
INSTALLATION**



**ALWAYS
CONNECTED**



**EVEN MORE
CONNECTIVITY**



**EASY TO SET UP
FOR INSTALLERS**



**EASY TO CONTROL
FOR CUSTOMERS**



Remote controls for automatic gates



U-LINK 2.0

AN UPDATED VERSION OF
U-LINK TO GIVE YOU EVEN
MORE FUNCTIONALITY



Scalable

You can add as many devices as you want



Intuitive

Easy to install and to use



Functional

Settings can be controlled and firmware updated remotely using dedicated applications



Practical

Works with or without an internet connection



Flexible

It allows you to create groups of interconnected products

U-Link, the exclusive **BFT** technology platform has evolved to offer improved interaction with the latest generation of technological ecosystems. Its ability to interface with all home access automation access devices has been expanded, meaning it is now a very useful tool for installers. It is also a faster communication protocol with increased security for communicating information.

It allows you to save even more time, checking everything very easily and giving you even more peace of mind.

Remote controls for automatic gates



A NEW AND EVEN MORE SECURE RADIO PROTOCOL



Secure

By transmitting data protected by a cryptographic key

U-Security is the new technology from **BFT** which incorporates encrypted rolling code thanks to the encryption key which masks the remote control code, meaning that it is impossible to clone a BFT remote control using another brand's model.



Easy

Pairing a remote control with a receiver can be done easily by scanning the QR code and using the dedicated app

The functions of the **Er Ready** system are incorporated and a new procedure is also available for programming remote controls by scanning a QR CODE and using a special app. All products featuring this technology are **REPLAY**, so they can transmit the code to another BFT remote control using a combination of keys.



Universal

The radio protocol is also compatible with the previous generation of receivers

