






Be ahead




KLEIO



Remote controls for automatic gates



Complete range of remote controls, 433MHz rolling code. Available with 2 or 4 channels. Softtouch finishes.



Remote controls for automatic gates

KLEIO

Code	Name	Description
D111890	KLEIO B RCA04 R1	Transmitter with 4 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A
D111888	KLEIO B RCA02 R1	Transmitter with 2 channels. Range 50/100 m. Power supply 12 V with 1 battery type 23 A

	KLEIO B RCA04 R1	KLEIO B RCA02 R1
Voltage	12 V	12 V
Range	50/100 m	50/100 m
Number of buttons	4	2
Frequency	433 MHz	433 MHz
Number of batteries	1	1
Battery type	23 A	23 A

RECOMMENDED ACCESSORIES

D113807 00002 - CLONIX 2E AC U-LINK 230 433 MHz external receiver, compatible with U-LINK protocol (features 3 connection ports). 230 V Power supply, can store up to 2,048 remote controls	D113808 00003 - CLONIX UNI AC U-LINK 230V 433 MHz external receiver via 3 outputs: 2 with NO contact and one with configurable NO/NC contact. Compatible with U-LINK protocol (features 3 connection ports). Power supply, 230 V, can store up to 2,048 remote controls
D113674 00001 - CLONIX 2E External two-channel 433 MHz rolling code receiver. 128 position memory. 24 V power supply.	D113718 00002 - CLONIX 4 RTE External 4-channel 433 MHz rolling code receiver. 16 A Power relay outputs. 230 V Power supply.
P111510 - U-BASE Software for bluetooth programming and managing of control unit, receiver and transmitters. USB key included	P111529 - U-PROG Programmer for radio control units and receivers with possibility of wired or BlueTooth connection
N999522 - CLIP B 00 R04 Wall mounting clip for KLEIO B RCA and MITTO B RCB remote controls. 30 unit pack	N999521 - CLIP1 B 00 R03 Clip for hooking KLEIO B RCA and MITTO B RCB series remote controls to belt or sun visor. Supplied in pack of 30pcs

Remote controls for automatic gates

What is U-Link?

The technology that gives you more power

U-Link, Universal Link, is an exclusive BFT platform that can be used to create high-tech ecosystems.

In Home Access Automation, it can be used to communicate with all home access automation devices of any brand. This saves you time and allows you to control everything easily and without any worries.

It is intuitive

Easy to install and to use

It is scalable

You can add as many devices as you want

It is flexible

It allows you to create groups of interconnected products

It is practical

Works with or without an internet connection

It is functional

Its settings can be controlled remotely using dedicated applications

Remote controls for automatic gates

Everything on one screen: find out more about this amazing technology

A world-exclusive platform that **can be used to create high-tech ecosystems** offering a vast range of solutions for many different sectors.

This proprietary platform which is a key feature of BFT products, thanks to the B-EBA cards and the Clonix U-Link receiver, is suitable for any protocol or product for access automation (including BFT products non-BFT ones and older versions) and it can be used in a variety of different sectors. This means any device becomes a smart device which can be interconnected with other systems, using a language that is becoming universal.



U-Control HOME

U-Control HOME is the application that allows you to open the gate to your home and to remotely control BFT automations using your own smartphone. The iOS version can be used to automatically open the automation when you are close to it.



U-Base 2

A software package for installation, performing maintenance and identifying any faults in the U-Link compatible operators, easily and conveniently.



U-SDK

U-SDK is the application which allows BFT automations to be made compatible and easily integrated with a BMS network.

