


MAXIMA ULTRA 68





MAXIMA ULTRA 68






Road barriers














Electromechanical barriers with speed variator and three-phase induction motor for high frequency of use. Designed and developed to operate in a wide variety of conditions such as large car parks, motorway tollgates with frequent reversing, industrial installations. Three-phase motor with inverter. Oil bath gear motor. Mechanical crankshaft movement (anti-vandalism system) which can deliver fluidity of movement and balance to the bar by also controlling its soft opening and closing. With U-Link protocol for integration with Parking Management or Building Management systems.

Relevant features

U-Link embedded.













MAXIMA ULTRA 68

Code	<u>Ci</u>	Name	Description		
P940074 00002	2600872	MAXIMA ULTRA 68 SM	230 V electromechanical barrier with asynchronous three-phase motor and inverter, for controlling from 4.0 to 8.0 m gates. Opening time from 4.5 to 6.0 s with deceleration. Maximum barrier length: 8 m. Suitable for installation in areas with high frequency of movement and frequent inversion of barrier movement (e.g. motorway toll booths, car parks with high traffic flows, etc.). Version without spring. Colour RAL 7015 U-Link embedded. Three-phase motor with inverter. Anti-vandalism system mechanical crankshaft. Oil bath gear motor.		

	MAXIMA ULTRA 68 SM			
Opening time (depending on the width of the leaf)	from 4,5 to 6,0 s			
Clear opening	from 4,0 to 8,0 m			
Motor type	Three-phase asynchronous			
Internal lubrication	In oil bath			
Motor power supply	230 V			
Control unit	CSB Xtreme			
Inverter	Yes			
Slowdown	Yes			
Impact reaction	encoder			
Locking	Mechanical			
Release	Inside the structure			
Frequency of use	very intensive			
MCBF (Mean Cycles Between Failures)	2000000 Op			
Processing type	RAL7015 cataphoresis coating and paint			
Environmental conditions	-30 ÷ 60 °C			
Protection rating	IP54			

VITAL ACCESSORIES







MAXIMA ULTRA 68





Road barriers

VITAL ACCESSORIES



RECOMMENDED ACCESSORIES

	<u>Cp</u> P120078 - <u>Ci</u> 2605229 IS ATML		<u>Cp</u> P120118 - <u>Ci</u> 2613365 IS ATML/BL-LARGE PRO
	Internal reinforcement for ATML rods		Internal reinforcement for ATML booms, recommended for booms L $\!$
	<u>Cp</u> P120075 - <u>Ci</u> 2601276 ALLU 2 MAXIMA ULTRA		<u>Ср</u> Р120077 00001 - <u>Сі</u> 2601312 КІТ АТМ LIGHT З R/G 2W
	Power supply for ATM LIGHT Kit on Maxima Ultra	7.	Red-green LED lights kit for fitting on ATM bars up to 3m.
90	<u>Ср</u> Р120077 00002 - <u>Сі</u> 2601313 КІТ АТМ LIGHT 5 R/G 2W		<u>Ср</u> Р120077 00003 - <u>Сі</u> 2601314 КІТ АТМ LIGHT 8 R/G 2W
	Red-green LED lights kit for fitting on ATM bars up to 5m.	7.	Red-green LED lights kit for fitting on ATML bars up to 8 m.
¥	<u>Ср</u> Р120080 - <u>Сі</u> 2601319 FAF UNI R		<u>Cp</u> P120050 - <u>Ci</u> 2601320 GA ATM
	Universal adjustable fork for all rods; recommended with installation of FULL SKIRT accessory.		Adjustable suspended foot, powder coated cataphoresis treated.
	<u>Ср</u> Р120049 - <u>Сі</u> 2600560 RST ATM		<u>Cp</u> D112306 - <u>Ci</u> 2614118 <u>MITTO COOL C2</u>
	Aluminium rack. Price for 3 metres. Suspended foot not included. Compatible with ATML and ATM model bars.		2-Channel transmitter. 50/100 m range. 3V power supply with 1 CR2032 type battery. Blue.
	<u>Ср</u> D112318 - <u>Сі</u> 2614120 МІТТО COOL C4		
	4-Channel transmitter. 50/100 m range. 3V power supply with 1 CR2032 type battery. Blue.		













EasyAXS

EASY CONNECT. EASY ACCESS.



The new connectivity solution which boosts the potential of BFT products and services to make access automations smarter and easier to use for both installers and end users.



FOR ACCESSING THEIR

Somfy TaHoma

HOMES







EASY TO CONNECT








MOBILE MODULE + ANTENNA + SIM







10/15 metres





















AN UPDATED VERSION OF U-LINK TO GIVE YOU EVEN MORE FUNCTIONALITY



Scalable

You can add as many devices as you want



Intuitive

Easy to install and to use



Functional

Settings can be controlled and firmware updated remotely using dedicated applications



Practical

Works with or without an internet connection



Flexible

It allows you to create groups of interconnected products

U-Link, the exclusive **BFT** technology platform has evolved to offer improved interaction with the latest generation of technological ecosystems. Its ability to interface with all home access automation access devices has been expanded, meaning it is now a very useful tool for installers. It is also a faster communication protocol with increased security for communicating information.

It allows you to save even more time, checking everything very easily and giving you even more peace of mind.









A NEW AND EVEN MORE SECURE RADIO PROTOCOL



Secure

By transmitting data protected by a cryptographic key



Easy

Pairing a remote control with a receiver can be done easily by scanning the QR code and using the dedicated app



The functions of the **Er Ready** system are incorporated and a new procedure is also available for programming remote controls by scanning a QR CODE and using a special app. All products featuring this technology are REPLAY, so they can transmit the code to another BFT remote control using a combination of keys.



Universal

The radio protocol is also compatible with the previous generation of receivers







INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT. BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.